



Sucroflex

Digital Reflectance Colorimeter for Color Grading White Sugars

General

The most eye-catching quality factor of crystal sugar is its color which may vary from brilliant white to yellow-brownish tones of different density. ICUMSA, the International Commission for Uniform Methods of Sugar Analysis, has defined a color type scale for color grading white sugars. It covers a range from 0 to 6, whereby 0 corresponds to a sugar of maximum whiteness, while 6 indicates a highly colored low-grade white sugar.

Sucroflex replaces the manual method in which sugar samples of unknown color are moved along a line of 7 color type standards to visually find the position at which color matching is best.

The instrument uses an Integrating Sphere Photometer to guarantee completely diffuse, shadeless illumination of samples. Grain size differences have no effect.

The photoelectric principle of operation is superior to the human eye and approved by ICUMSA. The instrument provides reproducible results, independent of the operator.

To calibrate the color type scale of Sucroflex, two standards are required, each one for the beginning and end of the scale. For this purpose either sugar standards or ceramic standards, manufactured by Anton Paar GmbH, can be used.

| Specifications | |
|-----------------------|--|
| Measuring principle | Photoelectric sphere photometer for measuring the green / red reflectance ratio of white sugar |
| Measuring range | 0 to 19.99 CTU (ICUMSA color type units) above 6 by extrapolation |
| Resolution | 0.01 CTU |
| Reproducibility | ± 0.04 CTU |
| Light source | Tungsten-halogen lamp, 6 V, 10 W, average life 2000 h |
| Optical wavelength | 495 and 620 nm, tolerance 1%, bandwidth 20 nm |
| Photodetectors | 2 silicon photodiodes |
| Interface | RS-232C serial interface |
| Dimensions and weight | 210 mm x 310 mm x 315 mm (W x D x H), 7 kg |
| Power requirements | Self-adapting to any mains voltage of 90-264 VAC, 47-63 Hz |
| Calibration | Calibration either by ceramic or sugar standards of about 0 and 6 CTU |
| Sample cup | 45 mm ID, depth 20 mm |
| Standards | ICUMSA, conform to method GS2-13 (2007) |
| | |

Anton Paar® GmbH

A-8054 Graz, Anton-Paar-Str. 20

Tel.: +43 (0)316 257-0, E-mail: info@anton-paar.com Fax: +43 (0)316 257-257, Web:www.anton-paar.com

Instruments for:

Density & concentration

measurement

Colloid science
High-precision temperature measurement

Rheometry and viscometry

Refractometry Polarimetry

Sample preparation

Microwave synthesis

X-ray structure analysis

Specifications subject to change without notice

Your distributor: